

## Sicherheitsinformationen:

### **Aktobis 32A CEE-Verbindungskabel H07RN-F 5G6 mit 10 m Länge und inkl. Kupplung und Stecker, IP44**



Dieses 32A CEE-Kabel mit 10 m Länge inkl. Kupplung, Stecker und Verschlussklappe ist das ideale Verbindungskabel für Ihr Starkstrom-Elektrogerät, welches 400V bzw. 32A benötigt ! Es handelt sich um ein hochwertiges Qualitätskabel des Markenherstellers „WDH“ !

Zum Betrieb dieses Verbindungskabels wird ein fünfpoliger 32 A Starkstromanschluss 380V/415V (50/60Hz) benötigt. Dies entspricht Industriestrom !

## 1. Note the technical specifications

- Make sure that the extension cable is suitable for the required voltage and current (e.g. 400V, 32A).
- The cable cross-sections must correspond to the load (e.g. 6 mm<sup>2</sup>).

## 2. Use only in suitable environments

- For outdoor use, only use cables with the appropriate protection class (**IP44** for damp rooms or construction sites).
- Keep the cable away from heat sources, chemicals and mechanical stress.

## 3. Protect against overload and short circuit

- Ensure that the cable is not overloaded by checking the connected devices and their power consumption beforehand.

## 4. Correct installation and use

- Unroll the cable completely to avoid heat build-up or induction damage.
- Lay the cable so that there is no risk of tripping and so that it is not damaged by vehicles or heavy objects.

## 5. Visual inspection before use

- Check the cable regularly for damage, cracks or squashed areas.
- Do not use a damaged cable – there is a risk of fire and electric shock!

## 6. Only use approved plug connections

- For high voltage, only use **CEE plugs** (e.g. 32A in black/red for 400V).
- Do not use unauthorized adapters or unsafe extensions.

## 7. Safe handling and storage

- Store in a dry and clean place after use.
- Do not bend over sharp edges or kink.

## Eigenschaften & Vorteile:

- Schutzart: IP44, d.h. spritzwassergeschützt sowie vor dem Eindringen von Fremdkörpern größer als 1mm
- Gute Biegsamkeit
- Flexible Handhabung

## Auszeichnungen und Zertifizierungen:

- Selbstverständlich mit CE und EMC Konformität

## Technische Daten:

**Kabeltyp:** H07RN-F 5G6

**Farbe:** schwarz, rot

**Kabelquerschnitt:** 6 mm<sup>2</sup>

**Kabellänge:** 10 m

**Gewicht:** 6 Kg

**Lieferumfang:** 32A CEE-Verbindungskabel 6Q

**CEE-Stecker:** 32A 5p 6h 400V

**Schutzart:** IP44

**CEE-Kupplung:** 32A 5p 400V